NH School Administrative Unit 106 | Timberlane Regional School District



30 Greenough Road, Plaistow, NH 03865 Voice: (603) 382-6119 Fax: (603) 382-3334 Timberlane.net @@TimberlaneRegional @@TimberlaneRSD ©@TimberlaneRSD

TIMBERLANE REGIONAL SCHOOL DISTRICT FACILITIES COMMITTEE

MEETING MINUTES

October 17, 2023, SAU 106 Boardroom, 9:00 AM

Attendance:

SAU106/Timberlane Regional School District:

Justin Krieger, Interim Superintendent of Schools **PRESENT** Maria Watkins, CFO/Business Administrator **PRESENT** Karl Ingoldsby, Director Plant Operations/Facilities **ABSENT** Sarah Vaira, Facilities Supervisors **ABSENT** Alan Perry, Grounds Supervisors **ABSENT**

Timberlane Regional School Board:

Jack Sapia, Atkinson <mark>PRESENT</mark> Kristin Savage, Plaistow **PRESENT**

School Administration:

Kurt Schweiss, Music Director **ABSENT** Steve Harrises, Principal, Atkinson Academy **PRESENT** Stephanie Lafreniere, Principal, Pollard Elementary **PRESENT** Laura Yacek, Principal, Sandown North **ABSENT** Mitch Mencis, Principal, Timberlane Regional Middle School **PRESENT** Chris Snyder, Principal, Danville Elementary **ABSENT** Kim Rivers, Early Childhood Coordinator, Sandown Central TLC **PRESENT** John Vaccarezza, Principal, Timberlane Regional High School **PRESENT** Mark Pedersen, Director of Secondary Education, **PRESENT**

Septic System Discussion:

How old are the septic systems? When was the last time the septic systems were served? Should we serve them twice a year or once a quarter?

Conversion of communal bathrooms HS/MS:

Discussion about cost.

Discussion about **anchor(?) to put near the classroom doors** to help barricade in case of emergency.

Discussion about Pollard playground fence repairs.

Shades into school entrances and classroom interior windows.

Do all school entrances have bullet proof glass?

Schools are going to report how many doors in each building do not have windows.

Meeting minutes submitted by Maria Watkins.

Facilities Committee Meeting October 17, 2023 Page 1 of 1