

Timberlane Regional School District	Policy Code: GBGBA
Adopted: 02-24-05 Revised: 10-06-16	Page 1 of 1

USE OF AUTOMATED EXTERNAL DEFIBRILLATORS

The Board authorizes the use of Automatic External Defibrillators (AED) in emergency situations.. The use/administration/maintenance of the AED is subject to the following conditions:

1. Location of the AED - The Superintendent, building principal and school nurse shall select and approve the locations for the AEDs.
2. Authorized Employees/Training of Users - AEDs will only be administered by those employees designated by the principal in consultation with the school nurse. Employees will only be authorized after they have successfully received and completed appropriate training in cardiopulmonary resuscitations and AED use. Such training may be provided by the school nurse or from another source acceptable to the school nurse and principal.
3. Maintenance - AEDs will be maintained by the school nurse or his/her designee. Maintenance shall be done according to the AED manufacturer's specifications. The school nurse shall maintain a record of all maintenance which has been performed on the AEDs.
4. Registration of AEDs - In accordance with RSA 153-A:33, the school nurse or his/her designee shall register the AEDs with the New Hampshire Department of Safety.
5. Incident Reporting - The school nurse or his/her designee shall report all instances of AED use with the New Hampshire Department of Safety.
6. Liability Limited - The district and persons administering the AEDs shall enjoy the limitations of liability as specified in RSA 153:A-31 as well as other sources of law.

All employees of the district are expected to comply with the administration of this policy. Any violation of this policy shall constitute grounds for disciplinary action, up to and including termination of employment.

Statutory Reference:

*RSA 153-A: 28-33 Automated External Defibrillation
Further information: State of NH, Bureau of Emergency Medical Services, 271-4568*